

# The Monte-Carlo Revolution in Go

Rémi Coulom

October, 2015

# Game Complexity

Game	Complexity*	Status
Tic-tac-toe	$10^3$	Solved manually
Connect 4	$10^{14}$	Solved in 1988
Checkers	$10^{20}$	Solved in 2007
Chess	$10^{50}$	Programs > best humans
Go	$10^{171}$	Programs $\ll$ best humans

\*Complexity: number of board configurations

# How can we deal with complexity ?

## Some formal methods

- Use symmetries
- Use transpositions
- Combinatorial game theory

# How can we deal with complexity ?


## Some formal methods

- Use symmetries
- Use transpositions
- Combinatorial game theory

## When formal methods fail


- Approximate evaluation
- Reasoning with uncertainty

# Dealing with Huge Trees




Full tree

# Dealing with Huge Trees




Full tree




Classical approach =  
depth limit + pos. evaluation (E)  
(chess, shogi, ...)


# Dealing with Huge Trees



Full tree



Classical approach =  
depth limit + pos. evaluation (E)  
(chess, shogi, ...)




Monte-Carlo approach =  
random playouts


# A Random Playout



# Principle of Monte-Carlo Evaluation




## Basic Monte-Carlo Move Selection



### Algorithm

- $N$  playouts for every move
- Pick the best winning rate
- 5,000 playouts/s on 19x19

## Basic Monte-Carlo Move Selection




### Algorithm

- $N$  playouts for every move
- Pick the best winning rate
- 5,000 playouts/s on 19x19

### Problems

- Evaluation may be wrong
- For instance, if all moves lose immediately, except one that wins immediately.


# Monte-Carlo Tree Search



## Principle

- More playouts to best moves
- Apply recursively
- Under some simple conditions: proven convergence to optimal move when  $\# \text{playouts} \rightarrow \infty$

# Incorporating Domain Knowledge with Patterns



○ to move

## Patterns

- Library of local shapes
- Automatically generated
- Used for playouts
- Cut branches in the tree

## Examples (out of ~30k)



Good



Bad

## History (1/2)

### Pioneers

- 1993: Brügmann: first MC program, not taken seriously
- 2000: The Paris School: Bouzy, Cazenave, Helmstetter

## History (1/2)

### Pioneers

- 1993: Brüggemann: first MC program, not taken seriously
- 2000: The Paris School: Bouzy, Cazenave, Helmstetter

### Victories against classical programs

- 2006: Crazy Stone (Coulom) wins  $9 \times 9$  Computer Olympiad
- 2007: MoGo (Wang, Gelly, Munos, ...) wins  $19 \times 19$


## History (2/2)

### Games Against Strong Professionals


- 2008-08:  MoGo beats Myungwan Kim (9p), H9
- 2012-03:  Zen beats Masaki Takemiya (9p), H4
- 2013-03:  CrazyStone beats Yoshio Ishida (9p), H4
- 2014-03:  CrazyStone beats Norimoto Yoda (9p), H4
- 2015-03:  CrazyStone loses to Chikun Cho (9p), H3



# Limits of the Current MC Programs



# Limits of the Current MC Programs



## Difficulties

- Tree search can't handle all the threats.
- Must decompose into local problems.

# Conclusion

## Summary of Monte-Carlo Tree Search

- A major breakthrough for computer Go
- Works similar games (Hex, Amazons) and automated planning

# Conclusion

## Summary of Monte-Carlo Tree Search

- A major breakthrough for computer Go
- Works similar games (Hex, Amazons) and automated planning

## Perspectives

- Policy gradient for adaptive playouts
- Deep convolutional neural networks for clever patterns